

In the Claims:

This Listing of Claims shall supersede all prior listings of claims submitted in this application.

Listing of Claims:

1. (Currently amended) A method of killing ectoparasites on a subject, said method comprising:

topically administering an alcohol-free, insecticide-free composition to an area on the subject where ectoparasites are present, wherein the composition comprises isopropyl myristate ~~a fatty acid ester effective for killing said ectoparasites within an hour of contact when used as the sole killing agent~~ in a concentration of at least 10% w/w, and wherein further at least 80% of the ectoparasites are killed within 1 hour of administration of the composition. ~~ester is of a fatty acid selected from the group consisting of myristate, laurate, palmitate, stearate, arachidate, behenate, lignocerate, palmitoleate, oleate, linoleate, linolenate, and arachidonate.~~

2. (Original) The method according to claim 1, wherein said ectoparasites are selected from the group consisting of lice, mites, ticks, and fleas.

3. (Original) The method according to claim 2, wherein the subject is a mammal.

4. (Original) The method according to claim 3, wherein the mammal is a human and the ectoparasites are head lice.

5. (Canceled)

6. (Canceled)

7. (Canceled)

8. (Original) The method according to claim 1, further comprising a cyclic siloxane carrier, wherein the cyclic siloxane is selected from the group consisting of decacyclomethicone, octamethylcyclomethicone, cyclotetrasiloxane, cyclopentasiloxane, cyclohexasiloxane, and decamethylcyclopentasiloxane.

9. (Canceled)

10. (Original) The method according to claim 8, wherein said cyclic siloxane is decacyclomethicone.

11. (Canceled)

12. (Currently amended) A method of killing ectoparasites on a subject, said method comprising:

topically administering to an area on the subject where ectoparasites are present an insecticide-free composition comprising isopropyl myristate ~~a fatty acid ester effective for killing said ectoparasites within an hour of contact when used as the sole killing agent~~ in a concentration of at least 10% w/w, wherein the ~~ester is of a fatty acid selected from the group consisting of consisting of myristate, laurate, palmitate, stearate, arachidate, behenate, lignocerate, palmitoleate, oleate, linoleate, linolenate, and arachidonate;~~
~~— and wherein further the ectoparasites are killed by dehydration following stripping of wax from their cuticles.~~

13. (Original) The method according to claim 12, wherein said ectoparasites are selected from the group consisting of lice, mites, ticks, and fleas.

14. (Original) The method according to claim 13, wherein the subject is a mammal.

15. (Original) The method according to claim 14, wherein the mammal is a human and the ectoparasites are head lice.

16. (Original) The method according to claim 14, wherein the mammal is a dog or cat and the ectoparasites are fleas or ticks.

17. (Canceled)

18. (Canceled)

19. (Original) The method according to claim 12, further comprising a cyclic siloxane carrier, wherein the cyclic siloxane is selected from the group consisting of decacyclomethicone, octametylcyclomethicone, cyclotetrasiloxane, cyclopentasiloxane, cyclohexasiloxane, and decamethylcyclopentasiloxane.

20. (Canceled)

21. (Original) The method according to claim 19, wherein said cyclic siloxane is decacyclomethicone.

22. (Canceled)

23. (Canceled)

24. (Canceled)

25. (Canceled)

26. (Canceled)

27. (Canceled)

In re Application of:

Campbell et al.

Application No.: 10/692,979

Filed: October 24, 2003

Page 5

Attorney Docket No.: PIED1110-1

28. (Canceled)

29. (Canceled)

30. (Canceled)

31. (Canceled)

32. (Original) The method of claim 1 or claim 12, further comprising the step of combing killed ectoparasites out of the subject's hair with a nit comb.

33. (Canceled)